Notice of Allowability	Application No.	Applicant(s)
	10/805,061	IMAMURA, YOICHI
	Examiner	Art Unit
	Chandrika Prasad	2839
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 3/19/04.		
2. The allowed claim(s) is/are 27,29-33,36 and 37.		
3. The drawings filed on 19 March 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 09/810,011. 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 D Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat P8), 7. ⊠ Examiner's Amendr	
Paper No./Mail Date <u>3/19/04</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	Trasil
LLS Datent and Trademark Office		CHANDRIKA PRASAD PRIMARY EXAMINER

DETAILED ACTION

1. This is a divisional of application serial number 09/810,011 filed March 15, 2001.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Troy Schmelzer on 12/02/04.

The application has been amended as follows:

Claim 28 has been cancelled.

3. The title has been changed to:

AN ELECTRICAL DISTRIBUTION BOARD WITH INTERCONNECTED OPTICAL REPEATERS AND ELECTRICAL BREAKERS

Allowable Subject Matter

- 4. Claims 27 and 29-33 and 36-37 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

The instant invention relates to an electrical distribution board that stores a signal cable connected to a communication network and an electrical power cable connected to electrical distribution cable, an outlet box connected to the distribution board through in-building complex cables (an electrical distribution cable and an optical fiber cable) wherein (a) the outlet box has an electrical plug with a gate that opens an optical

Application/Control Number: 10/805,061 Page 3

Art Unit: 2839

was not found in prior art.

connector receptor section when a tip of an electrical plug is inserted in an electrical plug receptor section as required by claim 27, (b) electrical distribution breakers are placed between the electrical power cable and an in-building electrical distribution cable, a gateway is connected between the communication network and in-building network as required by independent claims 29, 30, 31 and (c) the plug having a cord is connected to the outlet box to supply power and transmit optical signals as required by independent claims 36 and 37. Such a configuration of an electrical distribution board

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

6. Any correspondence to this action may be mailed to:

Commissioner for Patents Post Office Box 1450 Alexandria, VA 22313-1450

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad at(571) 272-2099. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.

Chandrika Prasad Primary examiner December 02, 2004